




WIRE HARNESS CABLE WITH 4.14MM PITCH WIRE-TO-WIRE CRIMPED HOUSINGS (F1)



K414HF1X3



ORDERING INFORMATION:

P/N K xxxxxx xx - xxx C M

1 2 3

1. HOUSING TYPE AT 2 ENDS:

"414HF" 4.14MM PITCH Ø1.00MM WIRE HOUSING TO HOUSING (WIRING 1:1)

"414H1" DITTO, BUT SAME DIRECTION OF CONTACTS AT 2 ENDS (WIRING 1:N)


"414HT" DITTO, BUT HOUSING TO 3MM TINNED END

2. NO. OF CONTACTS:



1X1, 1X2, 1X3, 2X2, 2X3, 3X3, 3X4, 3X5

3. LENGTH IN CM (CENTIMETERS)

WIRE HARNESS CABLE WITH 4.14MM PITCH WIRE-TO-WIRE CRIMPED HOUSINGS (F2)



K414HF3X3



ORDERING INFORMATION:

P/N K 14141414 - 333 C M

1. HOUSING TYPE AT 2 ENDS:

- "414HF" 4.14MM PITCH Ø1.00MM WIRE HOUSING TO HOUSING (WIRING 1:1)
- "414H1" DITTO, BUT SAME DIRECTION OF CONTACTS AT 2 ENDS (WIRING 1:N)
- "414HT" DITTO, BUT HOUSING TO 3MM TINNED END

2. NO. OF CONTACTS:



- 1X1, 1X2, 1X3, 2X2, 2X3, 3X3, 3X4, 3X5

3. LENGTH IN CM (CENTIMETERS)

WIRE HARNESS CABLE WITH 4.14MM PITCH WIRE-TO-WIRE CRIMPED HOUSINGS (F3)



K414HF3X5



ORDERING INFORMATION:

P/N K 1 2 3 CM

1. HOUSING TYPE AT 2 ENDS:

"414HF" 4.14MM PITCH Ø1.00MM WIRE HOUSING TO HOUSING (WIRING 1:1)

"414H1" DITTO, BUT SAME DIRECTION OF CONTACTS AT 2 ENDS (WIRING 1:N)


"414HT" DITTO, BUT HOUSING TO 3MM TINNED END

2. NO. OF CONTACTS:



1X1, 1X2, 1X3, 2X2, 2X3, 3X3, 3X4, 3X5

3. LENGTH IN CM (CENTIMETERS)

WIRE HARNESS CABLE WITH 4.14MM PITCH WIRE-TO-WIRE CRIMPED HOUSINGS (M1)



K414HM1X3



ORDERING INFORMATION:

P/N K xxxxxx xx - xxx C M

1 2 3

1. HOUSING TYPE AT 2 ENDS:

"414HM" 4.14MM PITCH Ø1.00MM WIRE HOUSING TO HOUSING (WIRING 1:1)

"414H6" DITTO, BUT SAME DIRECTION OF CONTACTS AT 2 ENDS (WIRING 1:N)

"414HW" DITTO, BUT HOUSING TO 3MM TINNED END

2. NO. OF CONTACTS:



1X1, 1X2, 1X3, 2X2, 2X3, 3X3, 3X4, 3X5

3. LENGTH IN CM (CENTIMETERS)

WIRE HARNESS CABLE WITH 4.14MM PITCH WIRE-TO-WIRE CRIMPED HOUSINGS (M2)



K414HM3X3



ORDERING INFORMATION:

P/N K xxxxxx xx - xxx C M

1 2 3

1. HOUSING TYPE AT 2 ENDS:

"414HM" 4.14MM PITCH Ø1.00MM WIRE HOUSING TO HOUSING (WIRING 1:1)

"414H6" DITTO, BUT SAME DIRECTION OF CONTACTS AT 2 ENDS (WIRING 1:N)


"414HW" DITTO, BUT HOUSING TO 3MM TINNED END

2. NO. OF CONTACTS:



1X1, 1X2, 1X3, 2X2, 2X3, 3X3, 3X4, 3X5

3. LENGTH IN CM (CENTIMETERS)

WIRE HARNESS CABLE WITH 4.14MM PITCH WIRE-TO-WIRE CRIMPED HOUSINGS (M3)



K414HM3X5



ORDERING INFORMATION:

P/N K 1 2 3 CM

1. HOUSING TYPE AT 2 ENDS:

"414HM" 4.14MM PITCH Ø1.00MM WIRE HOUSING TO HOUSING (WIRING 1:1)

"414H6" DITTO, BUT SAME DIRECTION OF CONTACTS AT 2 ENDS (WIRING 1:N)


"414HW" DITTO, BUT HOUSING TO 3MM TINNED END

2. NO. OF CONTACTS:



1X1, 1X2, 1X3, 2X2, 2X3, 3X3, 3X4, 3X5

3. LENGTH IN CM (CENTIMETERS)

WIRE HARNESS CABLE WITH 4.14MM PITCH WIRE-TO-WIRE CRIMPED HOUSINGS (M4)



K414HN1X3



ORDERING INFORMATION:

P/N K xxxxxx xx - xxx C M

1 2 3

1. HOUSING TYPE AT 2 ENDS:

"414HN" 4.14MM PITCH Ø1.00MM WIRE HOUSING TO HOUSING (WIRING 1:1)

"414H7" DITTO, BUT SAME DIRECTION OF CONTACTS AT 2 ENDS (WIRING 1:N)

"414HX" DITTO, BUT HOUSING TO 3MM TINNED END

2. NO. OF CONTACTS:



1X2, 1X3, 2X2, 2X3, 3X3, 3X4, 3X5

3. LENGTH IN CM (CENTIMETERS)

WIRE HARNESS CABLE WITH 4.14MM PITCH WIRE-TO-WIRE CRIMPED HOUSINGS (M5)



K414HN3X3



ORDERING INFORMATION:

P/N K 1 2 3 CM

1. HOUSING TYPE AT 2 ENDS:

"414HN" 4.14MM PITCH Ø1.00MM WIRE HOUSING TO HOUSING (WIRING 1:1)

"414H7" DITTO, BUT SAME DIRECTION OF CONTACTS AT 2 ENDS (WIRING 1:N)


"414HX" DITTO, BUT HOUSING TO 3MM TINNED END

2. NO. OF CONTACTS:



1X2, 1X3, 2X2, 2X3, 3X3, 3X4, 3X5

3. LENGTH IN CM (CENTIMETERS)


WIRE HARNESS CABLE WITH 4.14MM PITCH WIRE-TO-WIRE CRIMPED HOUSINGS (M6)



K414HN3X5



K414H7



K414HX

ORDERING INFORMATION:

P/N K 1 2 3 CM

1. HOUSING TYPE AT 2 ENDS:

"414HN" 4.14MM PITCH Ø1.00MM WIRE HOUSING TO HOUSING (WIRING 1:1)

"414H7" DITTO, BUT SAME DIRECTION OF CONTACTS AT 2 ENDS (WIRING 1:N)

"414HX" DITTO, BUT HOUSING TO 3MM TINNED END

2. NO. OF CONTACTS:

1X2, 1X3, 2X2, 2X3, 3X3, 3X4, 3X5

3. LENGTH IN CM (CENTIMETERS)