


0.635MM PITCH FLAT CABLE WITH 1.27MM*2.54MM IDC SOCKET WITHOUT STRAIN RELIEF (H=7.8MM) TO 1.27MM*1.27MM DIP PLUG (H=5.0MM) (A1)



ORDERING INFORMATION:


P/N **KE** **xx** **KD** - **xx** **C M B**

1 2 3 4 5

1. FLAT CABLE TYPE:
"KE" 0.635MM AWG30 UL2678 VW-1
PVC INSULATION DEEP GRAY
2. NO. OF CONTACTS:
10~100
3. CONNECTORS AT TWO ENDS:
"KD" 1.27MMX2.54MM IDC SOCKET WITH NOSE W/O S.R. TO
1.27MMX1.27MM DIP PLUG
4. LENGTH IN CM (CENTIMETERS)
5. COLOR OF TWO IDC CONNECTORS:
"B" BLACK

NOTE: 1.27MM*1.27MM PITCH DIP PLUG

0.635MM PITCH FLAT CABLE WITH 1.27MM*2.54MM IDC SOCKET WITHOUT STRAIN RELIEF (H=7.8MM) TO 1.27MM*1.27MM DIP PLUG (H=5.0MM) (A2)



ORDERING INFORMATION:


P/N **KE** **xx** **KP** - **xx** **CM** **B**

1 2 3 4 5

1. FLAT CABLE TYPE:
"KE" 0.635MM AWG30 UL2678 VW-1
PVC INSULATION DEEP GRAY
2. NO. OF CONTACTS:
10~100
3. CONNECTORS AT TWO ENDS:
"KP" 1.27MM*2.54MM IDC SOCKET WITH NOSE W/O S.R. TO
1.27MM*1.27MM DIP PLUG
4. LENGTH IN CM (CENTIMETERS)
5. COLOR OF TWO IDC CONNECTORS:
"B" BLACK

NOTE: 1.27MM*1.27MM PITCH DIP PLUG

0.635MM PITCH FLAT CABLE WITH 1.27MM*2.54MM IDC SOCKET WITHOUT STRAIN RELIEF (H=7.8MM) TO 1.27MM*1.27MM DIP PLUG (H=5.0MM) (A3)



ORDERING INFORMATION:


P/N KE xx LD - xx C M B

1 2 3 4 5

1. FLAT CABLE TYPE:
"KE" 0.635MM AWG30 UL2678 VW-1
PVC INSULATION DEEP GRAY
2. NO. OF CONTACTS:
10~100
3. CONNECTORS AT TWO ENDS:
"LD" 1.27MM*2.54MM IDC SOCKET WITH NOSE W/O S.R. TO
1.27MM*1.27MM DIP PLUG
4. LENGTH IN CM (CENTIMETERS)
5. COLOR OF TWO IDC CONNECTORS:
"B" BLACK

NOTE: 1.27MM*1.27MM PITCH DIP PLUG

0.635MM PITCH FLAT CABLE WITH 1.27MM*2.54MM IDC SOCKET WITHOUT STRAIN RELIEF (H=7.8MM) TO 1.27MM*1.27MM DIP PLUG (H=5.0MM) (A4)




ORDERING INFORMATION:

P/N **KE** **xx** **LP** - **xx** **CM** **B**
 1 2 3 4 5

1. FLAT CABLE TYPE:
 "KE" 0.635MM AWG30 UL2678 VW-1
 PVC INSULATION DEEP GRAY
2. NO. OF CONTACTS:
 10~100
3. CONNECTORS AT TWO ENDS:
 "LP" 1.27MM*2.54MM IDC SOCKET WITH NOSE W/O S.R. TO
 1.27MM*1.27MM DIP PLUG
4. LENGTH IN CM (CENTIMETERS)
5. COLOR OF TWO IDC CONNECTORS:
 "B" BLACK

NOTE: 1.27MM*1.27MM PITCH DIP PLUG

0.635MM PITCH FLAT CABLE WITH 1.27MM*2.54MM IDC SOCKET WITH STRAIN RELIEF (H=11.0MM) TO 1.27MM*1.27MM DIP PLUG (H=5.0MM) (B1)




ORDERING INFORMATION:

P/N **K****E****xx****M****D** - **xx****C****M****B**
 1 2 3 4 5

1. FLAT CABLE TYPE:
"KE" 0.635MM AWG30 UL2678 VW-1
PVC INSULATION DEEP GRAY
2. NO. OF CONTACTS:
10~100
3. CONNECTORS AT TWO ENDS:
"MD" 1.27MM*2.54MM IDC SOCKET WITH NOSE & S.R. TO
1.27MM*1.27MM DIP PLUG
4. LENGTH IN CM (CENTIMETERS)
5. COLOR OF TWO IDC CONNECTORS:
"B" BLACK

NOTE: 1.27MM*1.27MM PITCH DIP PLUG

0.635MM PITCH FLAT CABLE WITH 1.27MM*2.54MM IDC SOCKET WITH STRAIN RELIEF (H=11.0MM) TO 1.27MM*1.27MM DIP PLUG (H=5.0MM) (B2)




ORDERING INFORMATION:

P/N **KE** **xx** **MP** - **xx** **CM** **B**
 1 2 3 4 5

1. FLAT CABLE TYPE:
"KE" 0.635MM AWG30 UL2678 VW-1
PVC INSULATION DEEP GRAY
2. NO. OF CONTACTS:
10~100
3. CONNECTORS AT TWO ENDS:
"MP" 1.27MM*2.54MM IDC SOCKET WITH NOSE & S.R. TO
1.27MM*1.27MM DIP PLUG
4. LENGTH IN CM (CENTIMETERS)
5. COLOR OF TWO IDC CONNECTORS:
"B" BLACK

NOTE: 1.27MM*1.27MM PITCH DIP PLUG

0.635MM PITCH FLAT CABLE WITH 1.27MM*2.54MM IDC SOCKET WITH STRAIN RELIEF (H=11.0MM) TO 1.27MM*1.27MM DIP PLUG (H=5.0MM) (B3)




ORDERING INFORMATION:

P/N KE xx ND - xx C M B
 1 2 3 4 5

1. FLAT CABLE TYPE:
 "KE" 0.635MM AWG30 UL2678 VW-1
 PVC INSULATION DEEP GRAY
2. NO. OF CONTACTS:
 10~100
3. CONNECTORS AT TWO ENDS:
 "ND" 1.27MM*2.54MM IDC SOCKET WITH NOSE & S.R. TO
 1.27MM*1.27MM DIP PLUG
4. LENGTH IN CM (CENTIMETERS)
5. COLOR OF TWO IDC CONNECTORS:
 "B" BLACK

NOTE: 1.27MM*1.27MM PITCH DIP PLUG

0.635MM PITCH FLAT CABLE WITH 1.27MM*2.54MM IDC SOCKET WITH STRAIN RELIEF (H=11.0MM) TO 1.27MM*1.27MM DIP PLUG (H=5.0MM) (B4)



ORDERING INFORMATION:

P/N **K****E****xx****NP**-**xx****C****M****B**
1 2 3 4 5

1. FLAT CABLE TYPE:
"KE" 0.635MM AWG30 UL2678 VW-1
PVC INSULATION DEEP GRAY
2. NO. OF CONTACTS:
10~100
3. CONNECTORS AT TWO ENDS:
"NP" 1.27MM*2.54MM IDC SOCKET WITH NOSE & S.R. TO
1.27MM*1.27MM DIP PLUG
4. LENGTH IN CM (CENTIMETERS)
5. COLOR OF TWO IDC CONNECTORS:
"B" BLACK

NOTE: 1.27MM*1.27MM PITCH DIP PLUG