
Case with cooling fins: Embedded case




contents of delivery: 1 = 1 x case profile; **2** = 2 x cover panel; **3** = 1 x bottom panel; **4** = mounting material

- universal cooling fin case made of aluminium extruded profile, cover panels in 2 mm thickness and removable bottom panel
- optimized heat dissipation by means of external cooling fins
- the integrated T-grooves in the case profile for mounting of i.e. mainboards in the Mini-ITX or NUC form factor by means of distance, bolts and mounting plate also EBX, Nano ITX, EPIC, ETX/XTX and PC/104 form factors by means
- internal guide grooves for inserting PCBs or mounting plates
- wall-, ceiling- or top-hat rail mounting by means of fixing straps or top-hat rail mounting from the bottom
- special designs, embedded cover panels, machinings, surfaces and printings upon request


art. no.

EMB 135 ...



art. no.

EMB 175 ...



please indicate:

... ⟷
105 150 200 250 mm


... surface
SA = black anodised
ME = natural colour anodised
MS = case profile SA, cover panels ME

... way of fixation (optional)
KL = fixing of mounting rail
LS = mounting strap set


... accessories (optional)
BL = bottom panel with ventilation slots

*** accessories mounting set BFS ➔ M 61**

Profile sold by the metre ➔ M 66

art. no.	
EMB 215 ...	

fastening of the base plate via screw channels

art. no.	
EMB 215 T...	

fastening of the base plate via threaded strips in the T-slot

please indicate:

... ↔
150 200 250 mm


... surface
SA = black anodised
ME = natural colour anodised
MS = case profile SA, cover panels ME


... way of fixation (optional)
KL = fixing of mounting rail
LS = mounting strap set


... accessories (optional)
BL = bottom panel with ventilation slots

Profile sold by the metre ➔ M 66


*** accessories mounting set BFS ➔ M 61**







– accessory for the embedded case, insulating



art. no.	dim. [mm] L	art. no.	dim. [mm] L	art. no.	dim. [mm] L
BFS 15	15	**BFS 25**	25	**BFS 35**	35
BFS 20	20	**BFS 30**	30	**BFS 40**	40