



# Tube case with horizontal guide grooves

– case for 100 mm Eurocards with integrated guide slots in 5.08 mm pitch (1 HP)
– EMC compatible version due to chromefree transparent passivated (electrically conductive) surface and additional sealing **EDKO**
– mounting of the fixing straps without screws
– case available up to IP54 by using seals **EDKO** → M 85
– the 3 mm thick coverpanels can be machined and printed according to your requirements
– supplied as a demounted kit including cover plates and mounting material


| art. no. | | |
|---|---|---|
| **TUG 03 ...** |  |  |
| **art. no.** | | |
| **TUG 05 ...** |  |  |
| **art. no.** | | |
| **TUG 07 ...** |  |  |
| **art. no.** | | |
| **TUG 09 ...** |  |  |

**please indicate:**

**... ↔**
**100 120 160 200 220 mm**

**... surface**
**SA = black anodised**
**MS = case profile SA, cover panels ME**
**LP = exterior black lacquered, inside chrome-free transp. passivated**

**... way of fixation (optional)**
**L = with fixing straps**

| art. no. | | |
|---|---|---|
| TUG 17 ... |  |   |

**please indicate:**

**... ↔**
**100 120 160 200 220 mm**


**... way of fixation (optional)**
**L = with fixing straps**

**... surface**
**SA = black anodised**
**MS = case profile SA, cover panels ME**
**LP = exterior black lacquered, inside chrome-free transp. passivated**

Profile sold by the metre ➔ M 39

***1** detailed cut-out; * **fixing slots** ➔ **M 21**



***1**



# Tube cases with horizontal and vertical guide grooves



– tube case with horizontal and vertical integrated guide slots in 5.08 mm grid spacing (1 HP) for inserting 100 mm Eurocards and non standard PCBs
– EMC compatible version due to chromefree transparent passivated (electrically conductive) surface and additional sealing **EDKO**
– mounting of the fixing straps without screws; case available up to IP54 by using seals **EDKO** ➔ M 85
– the 3 mm thick covers and the tube profiles can be machined and printed according to your requirements
– tube profile with M3 fastening screw thread for cover panels, other dimensions and surfaces upon request
– supplied as a demounted kit, including cover plates and mounting material

| art. no. | |
|---|---|
| **TUG V 09 ...** |   |
| **art. no.** | |
| **TUG V 17 ...** |   |

**please indicate:**

**... ↔**
**100 120 160 200 220 mm**

**... surface**
**SA = black anodised**
**ME = natural colour anodised**
**MS = case profile SA, cover panels ME**

**... way of fixation (optional)**
**L = with fixing straps**

Profile sold by the metre ➔ M 39

***1** detailed cut-out; * **fixing slots ➔ M 21**

