



承认书

APPROVAL SHEET

编号 No.	
日期 Date	

客户 Customer	
----------------	--

品名 Product	Thermal cut-out
系列 Series	ATM-01

料号 Part No.	规格描述 Specification	备注 Remark
贝特电子 Betterfuse		
客户 Customer		

环保特别提示 Special instructions for environmental protection
本产品: 符合 ROHS

供应商-贝特电子 Supplier-Betterfuse	零件承认章 Approval Signet	客户 Customer	零件承认章 Approval Signet
制作 Make			
审核 Check			
确认 Approval			


联络 Contact			
业务 Sales	电话 Telephone	手机 Cellphone	邮箱 E-mail
零件承认后敬请回签一份给我司留存, 或将承认后的封面传真 (0769-8352 1857) 至我司, 谢谢!			

Document Record						
NO.	Date	Modified Content	Page	Edition	Prepared/modified by	Checked by
1						
2						
3						
4						
5						
6						
7						
8						
9						
10						

TABLE OF CONTENTS

1. COPE AND DESCRIPTION	2
2. GENERAL INFORMATION.....	2
3. AGENCY APPROVALS.....	2
4. PRODUCT MODEL.....	3
5. STRUCTURE	3
6. ELECTRICAL CHARACTERISTICS.....	4
7. TEMPERATURE CHARACTERISTIC	4
8. ORDERING INFORMATION	4
9. PACKING INFORMATION.....	5
10. APPENDIX.....	6

1. SCOPE AND DESCRIPTION



The product for the ATM series thermostat. Mainly used for overheating or over temperature protection of electrical products.

ATM series thermal cut-out, widely used, mainly used in the heater, hair dryer, slow cooker, lamps and other related temperature appliances on the overheating or over temperature protection.

2. GENERAL INFORMATION

General Description

Function: ATM thermal cut-out is through the bimetal discs the change of temperature jump off action, and then cut off the circuit. The circuit of overheat or over temperature protection..

Construction: It is mainly composed of three major components: bimetal strip action mechanism, ceramic seat and terminals





Characteristics:

1. The bimetal discs is not electrified, so its operating temperature is not affected by the current;
2. It is sensitive to temperature, moves quickly, and has flexible installation form, which is widely used in temperature related appliances as over temperature protection or overheat protection

Detailed Features:

- Operating Temperature: 60°C~150°C
- Tolerance: $\pm 5^{\circ}\text{C}$
- Temperature difference between operated and resetable temperature : 15°C~50°C
- Endurance: 100,000 cycles (Automatic reset)
- Resistance between contacts <50m Ω
- Hi-pot test: 1500VAC 0.5mA 1min
- Insulation resistance: >5M Ω

3. AGENCY APPROVALS

Approval	Certification No.	Rate Voltage / Ampere
	E468091	125VAC 50/60Hz 16A 100,000 cycles(ATM-01); 10,000 cycles(ATM-01P)
	CQC14002118788	250VAC 10A/16A 10,000 cycles
	R50297266	250VAC 50/60Hz 10A/16A 10,000 cycles
	CN31936-A1/M1	250VAC 10A/16A 10,000 cycles


4. PRODUCT MODEL

Model: ATM-01 ; ATM-01P




5. STRUCTURE

ATM-01



- 1 Terminal
- 2 Ceramic seat
- 3 Long rivet
- 4 Movable arm
- 5 Bimetal discs
- 6 Short rivet
- 7 Static contact
- 8 Movable contact
- 9 Static plate


ATM-01P



- 1 Terminal
- 2 Ceramic seat
- 3 Long rivet
- 4 Movable arm
- 5 Bimetal discs
- 6 Short rivet
- 7 Static contact
- 8 Movable contact
- 9 Static plate
- 10 Shim
- 11 PTC
- 12 Shrapnel

6. ELECTRICAL CHARACTERISTICS

Rated parameter: AC250V 16A /AC125V 16A



Open Temp. Drop due to Current

7. TEMPERATURE CHARACTERISTIC

Temperature Characteristics					
Model	Operating Temperature(°C)	Reset Temperature(°C)	Approval		
			TUV 250V	UL 125V	CQC 250V
ATM060****	60±5	45±8	•	•	•
ATM065****	65±5	48±10	•	•	•
ATM070****	70±5	50±12	•	•	•
ATM075****	75±5	53±15	•	•	•
ATM080****	80±5	55±15	•	•	•
ATM085****	85±5	60±15	•	•	•
ATM090****	90±5	60±15	•	•	•
ATM095****	95±5	65±15	•	•	•
ATM100****	100±5	70±15	•	•	•
ATM105****	105±5	75±15	•	•	•
ATM110****	110±5	75±15	•	•	•
ATM115****	115±5	80±15	•	•	•
ATM120****	120±5	85±15	•	•	•
ATM125****	125±5	85±15	•	•	•
ATM130****	130±5	90±15	•	•	•
ATM135****	135±5	95±15	•	•	•
ATM140****	140±5	100±15	•	•	•
ATM145****	145±5	100±15	•	•	•
ATM150****	150±5	105±15	•	•	•

Note: Reset Temperature only reference

8. ORDERING INFORMATION

The following information are necessary in order to place your order with us correctly:


Model No.	Operating Temperature	Supplementary Code	Quantity
ATM-01 or 01P			

9. PACKING INFORMATION


Packing details:

* Unit:mm

Inner Box



Master Carton



Net Weight (100pcs/tray)	1.42g	Inner box weight	1170g	Master Carton Weight	≈ 12.1KG
Qty per tray	100pcs	Qty per box	600pcs	Qty per carton	6000pcs



XAPX2.E468091
Temperature-indicating and -Regulating Equipment - Component

If you notice a change to your XAPX2 Listing Card, click [here](#) to learn more.

[Page Bottom](#)

Temperature-indicating and -Regulating Equipment - Component

[See General Information for Temperature-indicating and -Regulating Equipment - Component](#)

DONGGUAN BETTER ELECTRONICS TECHNOLOGY CO LTD

E468091

Rm 601 Of 16 Blk
 Xinzhu Yuan No 4 Xinzhu Rd
 Songshanlake Hightech Industrial Development Zone
 Dongguan, Guangdong 523808 CHINA

Protective control, Thermal cut-out Model(s) ATM-01

Investigated to UL-60730-1

Protective control, Voltage maintained thermal cut-out Model(s) ATM-01P

Investigated to UL-60730-1, UL 60730-2-9

Protective control, Model(s) Thermal cut-ou ATM-01 Series, Voltage maintained thermal cut-out ATM-01P Series

Model(s) KST-A, KST-B, KST-C, KST-D, KST-R

Marking: Company name and model designation.

Last Updated on 2017-05-08

[Questions?](#)

[Print this page](#)

[Terms of Use](#)

[Page Top](#)

© 2018 UL LLC

The appearance of a company's name or product in this database does not in itself assure that products so identified have been manufactured under UL's Follow-Up Service. Only those products bearing the UL Mark should be considered to be Certified and covered under UL's Follow-Up Service. Always look for the Mark on the product.

UL permits the reproduction of the material contained in the Online Certification Directory subject to the following conditions: 1. The Guide Information, Assemblies, Constructions, Designs, Systems, and/or Certifications (files) must be presented in their entirety and in a non-misleading manner, without any manipulation of the data (or drawings). 2. The statement "Reprinted from the Online Certifications Directory with permission from UL" must appear adjacent to the extracted material. In addition, the reprinted material must include a copyright notice in the following format: "© 2018 UL LLC".

I. Electrical (+) -

Series	Contact Description	Electrical Ratings			Opening Temp Rating, °C	Operating or Protective	Complete Declar. (i.e. 1.C.L, etc.)
		Volt. VAC,	Current, Amps	Type of Load			
ATM-01	SPST,NC	125 V ac, 50/60 Hz	16 A, 100,000 cycles	Resistive	60~150°C	protective	2.B
ATM-01P	SPST, NC	125 V ac, 50/60 Hz	16 A, 10,000 cycles	Resistive	60~150°C	protective	2.C.AK



产品认证证书

证书编号：CQC14002118788

申请人名称及地址

东莞市贝特电子科技股份有限公司
东莞市松山湖高新技术产业开发区新竹路4号新竹苑16座办公601

制造商名称及地址

东莞市贝特电子科技股份有限公司
东莞市松山湖高新技术产业开发区新竹路4号新竹苑16座办公601

生产企业名称及地址

东莞市贝特电子科技股份有限公司(V036003)
东莞市寮步镇横坑三和路7号

产品名称和系列、规格、型号

温控器（热切断器）

ATM系列 250VAC 16A, 250VAC 10A 动作温度范围 60℃-150℃ 1.C型 10000 周期 绝缘
支撑件为陶瓷 自动复位 污染等级 2（系列命名方式见附件）

产品标准和技术要求

GB/T14536.1-2008; GB/T14536.10-2008

认证模式

产品型式试验+初次工厂检查+获证后监督

上述产品符合 CQC11-448321-2016 认证规则的要求，特发此证。

发证日期：2019年07月26日

本证书的有效性依据发证机构的定期监督获得保持。

本证书为变更证书，证书首次颁发日期：2014年12月08日

主任：

陆梅



中国质量认证中心

中国·北京·南四环西路188号9区100070

<http://www.cqc.com.cn>

C 0151554

Zertifikat

Certificate



Zertifikat Nr. *Certificate No.*
R 50297266

Blatt *Page*
0001

Ihr Zeichen *Client Reference* Unser Zeichen *Our Reference* Ausstellungsdatum *Date of Issue*
05-RBI- 16060507 001 13.11.2014 (*day/mo/yr*)

Genehmigungsinhaber *License Holder*
Dongguan Better Electronics
Technology Co., Ltd.
Room 601 of 16 Block, Xinzhu Yuan
No 4, Xinzhu Road, Songshanlake
Hightech Ind. Development Zone
Dongguan City, Guangdong Province
P.R. China

Fertigungsstätte *Manufacturing Plant*
FOSHAN WHOLESOME ELECTRONICS
CO., LTD.
No. 17 Wufeng Industrial Zone
Dasha Road, Zhangcha
Foshan, Guangdong 528000
P.R. China

Prüfzeichen *Test Mark*



Geprüft nach *Tested acc. to*
EN 60730-1:2000+A1+A2+A12+A13+A14+A16
EN 60730-2-9:2010

Zertifiziertes Produkt (Geräteidentifikation)
Certified Product (Product Identification)

Lizenzentgelte - Einheit
License Fee - Unit

Temperature Control (Thermal cut-out)

Type Designation	: ATM-01P ATM-01	6
Trademark	: Better (logo)	
Rated Voltage	: AC 250V; 50Hz	
Rated Current	: 10A	
Operation Cycles	: 10,000 (Automatic reset)	
Operating Temperature	: 60°C - 150°C	
Action Type	: 1.C	
Degree of Protection	: IP00	
Degree of Pollution	: 2	
Rated Impulse Voltage	: 2500V	
Type of Disconnection	: Micro-interruption	
Construction	: Incorporated Control for Class I or II Equipment	

Remark : The labelling requirements acc. to EU Directive 2001/95 have to be observed for distribution within the EEA. The installation has to be carried out according to installation instruction accompanying the products.

ANLAGE (Appendix): 1

Dem Zertifikat liegt unsere Prüf- und Zertifizierungsordnung zugrunde und es bestätigt die Konformität des Produktes mit den oben genannten Standards und Prüfgrundlagen. Zusätzliche Anforderungen in Ländern, in denen das Produkt in Verkehr gebracht werden soll, müssen zusätzlich betrachtet werden. Die Herstellung des zertifizierten Produktes wird überwacht.
This certificate is based on our Testing and Certification Regulation and states the conformity of the product with the standards and testing requirements as indicated above. Any additional requirements in countries where the product is going to be marketed have to be considered additionally. The manufacturing of the certified product is subject to surveillance.

TÜV Rheinland LGA Products GmbH - Tillystraße 2 - 90431 Nürnberg
Tel.: (+49/221)8 06 - 13 71 e-mail: cert-validity@dc.tuv.com
Fax: (+49/221)8 06 - 39 35 http://www.tuv.com/safety



G. Yin

Zertifikat

Certificate



Zertifikat Nr. *Certificate No.*
R 50297266

Blatt *Page*
0002

<i>Ihr Zeichen Client Reference</i>	<i>Unser Zeichen Our Reference</i>	<i>Ausstellungsdatum</i>	<i>Date of Issue</i> (day/mo/yr)
	05-YFC- 16060507 002	22.07.2016	

Genehmigungsinhaber *License Holder*
Dongguan Better Electronics
Technology Co., Ltd.
Room 601 of 16 Block, Xinzhuoyuan
No 4, Xinzhu Road, Songshanlake
Hightech Ind. Development Zone
Dongguan City, Guangdong Province
P.R. China

Fertigungsstätte *Manufacturing Plant*
Dongguan Better Electronics
Technology Co., Ltd.
Nanmen Village, Hengkeng
Administrative Zone, Liaobu Town
Dongguan, Guangdong
P.R. China

Prüfzeichen *Test Mark*



Type Approved
Safety
Regular Production
Surveillance
www.tuv.com
ID 2000000005

Geprüft nach *Tested acc. to*

EN 60730-1:2000+A1+A2+A12+A13+A14+A16
EN 60730-2-9:2010

Zertifiziertes Produkt *(Geräteidentifikation)*
Certified Product (Product Identification)

Lizenzentgelte - Einheit
License Fee - Unit

Temperature Control (Thermal cut-out)

as page 0001

Change

Name of the factory : see above
Address of the factory : see above

Remark : The labelling requirements acc. to EU Directive
2001/95 have to be observed for distribution within the EEA.
The installation has to be carried out according to
installation instruction accompanying the products.

Dem Zertifikat liegt unsere Prüf- und Zertifizierungsordnung zugrunde und es bestätigt die Konformität
des Produktes mit den oben genannten Standards und Prüfgrundlagen. Zusätzliche Anforderungen
in Ländern, in denen das Produkt in Verkehr gebracht werden soll, müssen zusätzlich
betrachtet werden. Die Herstellung des zertifizierten Produktes wird überwacht.
This certificate is based on our Testing and Certification Regulation and states the conformity
of the product with the standards and testing requirements as indicated above. Any additional
requirements in countries where the product is going to be marketed have to be considered
additionally. The manufacturing of the certified product is subject to surveillance.

TÜV Rheinland LGA Products GmbH - Tillystraße 2 - 90431 Nürnberg
Tel.: (+49/221)8 06 - 13 71 e-mail: cert-va@tuv.com
Fax: (+49/221)8 06 - 39 35 <http://www.tuv.com/safety>



Zertifikat

Certificate



Zertifikat Nr. *Certificate No.*
R 50297266

Blatt *Page*
0003

Ihr Zeichen <i>Client Reference</i>	Unser Zeichen <i>Our Reference</i>	Ausstellungsdatum	<i>Date of Issue</i> (day/mo/yr)
	05-YFC- 16060507 003	22.06.2017	

Genehmigungsinhaber *License Holder*
Dongguan Better Electronics
Technology Co., Ltd.
Room 601 of 16 Block, Xinzhuoyuan
No 4, Xinzhu Road, Songshanlake
Hightech Ind. Development Zone
Dongguan City, Guangdong Province
P. R. China

Fertigungsstätte *Manufacturing Plant*
Dongguan Better Electronics
Technology Co., Ltd.
Nanmen Village, Hengkeng
Administrative Zone, Liaobu Town
Dongguan, Guangdong
P. R. China

Prüfzeichen *Test Mark*



Geprüft nach *Tested acc. to*
EN 60730-1:2000+A1+A2+A12+A13+A14+A16
EN 60730-2-9:2010

Zertifiziertes Produkt (Geräteidentifikation)
Certified Product (Product Identification)

Lizenzentgelte - Einheit
License Fee - Unit

Temperature Control (Thermal cut-out)

as page 0001-0002

Addition

Rated Current : 16A 2

Remark : The labelling requirements acc. to EU Directive 2001/95 have to be observed for distribution within the EEA. The installation has to be carried out according to installation instruction accompanying the products.

2

Dem Zertifikat liegt unsere Prüf- und Zertifizierungsordnung zugrunde und es bestätigt die Konformität des Produktes mit den oben genannten Standards und Prüfgrundlagen. Zusätzliche Anforderungen in Ländern, in denen das Produkt in Verkehr gebracht werden soll, müssen zusätzlich betrachtet werden. Die Herstellung des zertifizierten Produktes wird überwacht. This certificate is based on our Testing and Certification Regulation and states the conformity of the product with the standards and testing requirements as indicated above. Any additional requirements in countries where the product is going to be marketed have to be considered additionally. The manufacturing of the certified product is subject to surveillance.

TÜV Rheinland LGA Products GmbH - Tillystraße 2 - 90431 Nürnberg
Tel.: (+49/221)8 06 - 13 71 e-mail: cert-validity@de.tuv.com
Fax: (+49/221)8 06 - 39 35 http://www.tuv.com/safety



Zertifikat

Certificate



Zertifikat Nr. *Certificate No.*
R 50297266

Blatt *Page*
0004

Ihr Zeichen <i>Client Reference</i>	Unser Zeichen <i>Our Reference</i>	Ausstellungsdatum <i>Date of Issue</i>	<i>(day/mo/yr)</i>
	05-YFC- 16060507 004	09.11.2017	

Genehmigungsinhaber *License Holder*
Dongguan Better Electronics
Technology Co., Ltd.
Room 601 of 16 Block, Xinzhu Yuan
No 4, Xinzhu Road, Songshanlake
Hightech Ind. Development Zone
Dongguan City, Guangdong Province
P. R. China

Fertigungsstätte *Manufacturing Plant*
Dongguan Better Electronics
Technology Co., Ltd.
Nanmen Village, Hengkeng
Administrative Zone, Liaobu Town
Dongguan, Guangdong
P. R. China

Prüfzeichen *Test Mark*



Geprüft nach *Tested acc. to*
EN 60730-1:2000+A1+A2+A12+A13+A14+A16
EN 60730-2-9:2010

Zertifiziertes Produkt *(Geräteidentifikation)*
Certified Product (Product Identification)

Lizenzentgelte - Einheit
License Fee - Unit

Temperature Control (Thermal cut-out)

as pages 0001-0003

Change

Rated Voltage : AC 250V; 50Hz/60Hz

Remark : The labelling requirements acc. to EU Directive 2001/95 have to be observed for distribution within the EEA. The installation has to be carried out according to installation instruction accompanying the products.

*Dem Zertifikat liegt unsere Prüf- und Zertifizierungsordnung zugrunde und es bestätigt die Konformität des Produktes mit den oben genannten Standards und Prüfgrundlagen. Zusätzliche Anforderungen in Ländern, in denen das Produkt in Verkehr gebracht werden soll, müssen zusätzlich betrachtet werden. Die Herstellung des zertifizierten Produktes wird überwacht.
This certificate is based on our Testing and Certification Regulation and states the conformity of the product with the standards and testing requirements as indicated above. Any additional requirements in countries where the product is going to be marketed have to be considered additionally. The manufacturing of the certified product is subject to surveillance.*

TÜV Rheinland LGA Products GmbH - Tillystraße 2 - 90431 Nürnberg
Tel: (+49/221)8 06 - 13 71 e-mail: cert-validity@de.tuv.com
Fax: (+49/221)8 06 - 39 35 <http://www.tuv.com/safety>



Zertifikat *Certificate*



Zertifikat Nr. *Certificate No.*
R 50297266

Blatt *Page*
0005

Ihr Zeichen *Client Reference*

Unser Zeichen *Our Reference*

Ausstellungsdatum

Date of Issue
(day/mo/yr)

05-RW- 16060507 005

30.07.2019

Genehmigungsinhaber *License Holder*

Dongguan Better Electronics
Technology Co., Ltd.
Room 601 of 16 Block, Xinzhuoyuan
No 4, Xinzhu Road, Songshanlake
Hightech Ind. Development Zone
Dongguan City, Guangdong Province
P. R. China

Fertigungsstätte *Manufacturing Plant*

Dongguan Better Electronics
Technology Co., Ltd. ,
Second Branch Factory
No.7, Sanhe Road, Hengkeng
Administrative Zone, Liaobu Town,
Dongguan City, Guangdong Province
P. R. China

Prüfzeichen *Test Mark*



Type Approved
Safety
Regular Production
Surveillance

www.tuv.com
ID 2000000000

Geprüft nach *Tested acc. to*

EN 60730-1:2000+A1+A2+A12+A13+A14+A16
EN 60730-2-9:2010

Zertifiziertes Produkt (Geräteidentifikation)
Certified Product (Product Identification)

Lizenzentgelte - Einheit
License Fee - Unit

Temperature Control (Thermal cut-out)

as pages 0001-0004

Change

Address and name of factory : See above

Remark : The labelling requirements acc. to EU Directive
2001/95 have to be observed for distribution within the EEA.
The installation has to be carried out according to
installation instruction accompanying the products.

*Dem Zertifikat liegt unsere Prüf- und Zertifizierungsordnung zugrunde und es bestätigt die Konformität des Produktes mit den oben genannten Standards und Prüfgrundlagen. Zusätzliche Anforderungen in Ländern, in denen das Produkt in Verkehr gebracht werden soll, müssen zusätzlich betrachtet werden. Die Herstellung des zertifizierten Produktes wird überwacht.
This certificate is based on our Testing and Certification Regulation and states the conformity of the product with the standards and testing requirements as indicated above. Any additional requirements in countries where the product is going to be marketed have to be considered additionally. The manufacturing of the certified product is subject to surveillance.*

TÜV Rheinland LGA Products GmbH - Tillystraße 2 - 90431 Nürnberg
Tel. (+49/221)8 06 - 13 71 e-mail: cert-validity@de.tuv.com
Fax: (+49/221)8 06 - 39 35 <http://www.tuv.com/safety>



Zertifikat Certificate



Zertifikat Nr. Certificate No.
R 50297266

Blatt Page
0006

Ihr Zeichen Client Reference	Unser Zeichen Our Reference	Ausstellungsdatum Date of Issue (day/mo/yr)
	05-RW- 16060507 006	04.11.2020

Genehmigungsinhaber License Holder
Dongguan Better Electronics
Technology Co., Ltd.
Room 601 of 16 Block, Xinzhu Yuan
No 4, Xinzhu Road, Songshan Lake
Hightech Ind. Development Zone
523808 Dongguan City Guangdong
P.R. China

Fertigungsstätte Manufacturing Plant
Dongguan Better Electronics
Technology Co., Ltd. ,
Second Branch Factory
No.7, Sanhe Road, Hengkeng
Administrative Zone, Liaobu Town,
Dongguan City Guangdong
P.R. China

Prüfzeichen Test Mark



Geprüft nach Tested acc. to
EN 60730-1:2016+A1
EN IEC 60730-2-9:2019+A1

Zertifiziertes Produkt (Geräteidentifikation)
Certified Product (Product Identification)

Lizenzentgelte - Einheit
License Fee - Unit

Temperature Control (Thermal cut-out)

as pages 0001-0005

Change

Test Requirement: See above

Type Designation:

- 1) ATM-01P (Voltage maintained thermal cut-out)
- 2) ATM-01 (Thermal cut-out)

Action Type :

- 1) 1.C.AK (Automatic reset upon the loss of voltage)
- 2) 1.C (Automatic reset)

Remark : The labelling requirements acc. to EU Directive 2001/95 have to be observed for distribution within the EEA. The installation has to be carried out according to installation instruction accompanying the products.

*Dem Zertifikat liegt unsere Prüf- und Zertifizierungsordnung zugrunde und es bestätigt die Konformität des Produktes mit den oben genannten Standards und Prüfgrundlagen. Zusätzliche Anforderungen in Ländern, in denen das Produkt in Verkehr gebracht werden soll, müssen zusätzlich betrachtet werden. Die Herstellung des zertifizierten Produktes wird überwacht.
This certificate is based on our Testing and Certification Regulation and states the conformity of the product with the standards and testing requirements as indicated above. Any additional requirements in countries where the product is going to be marketed have to be considered additionally. The manufacturing of the certified product is subject to surveillance.*

TÜV Rheinland LGA Products GmbH - Tillystraße 2 - 90431 Nürnberg
Tel.: (+49/221)8 06 - 13 71 e-mail: cert-validity@de.tuv.com
Fax: (+49/221)8 06 - 39 35 http://www.tuv.com/safety





Ref. Certif. No.

CN31936-A1/M1

IEC SYSTEM FOR MUTUAL RECOGNITION OF TEST
CERTIFICATES FOR ELECTRICAL EQUIPMENT (IECEE)
CB SCHEME

SYSTEME CEI D'ACCEPTATION MUTUELLE DE
CERTIFICATS D'ESSAIS DES EQUIPEMENTS
ELECTRIQUES (IECEE) METHODE OC

CB TEST CERTIFICATE

Product
Produit

Thermostat (Thermal cut-out)

Name and address of the applicant
Nom et adresse du demandeur

Dongguan Better Electronics Technology Co., Ltd.
Room 601 of 16 Block, Xinzhu Yuan, No. 4 Xinzhu Road,
Songshanlake Hightech Industrial Development Zone, Dongguan
City

Name and address of the manufacturer
Nom et adresse du fabricant

Dongguan Better Electronics Technology Co., Ltd.
Room 601 of 16 Block, Xinzhu Yuan, No. 4 Xinzhu Road,
Songshanlake Hightech Industrial Development Zone, Dongguan
City

Name and address of the factory
Nome et adresse de l'usine

Dongguan Better Electronics Technology Co., Ltd.
NanMen Village, HengKeng Administrative Zone LiaoBu Town,
Dongguan City, Guangdong Province, China.

Note: When more than one factory, please report on page 2
Note: Lorsqu'il y a plus d'une usine, veuillez utiliser la 2^{ème} page

Ratings and principal characteristics
Valeurs nominales et caractéristiques principales

250VAC 16A/250VAC 10A 60-150°C Type 1.C 10000
cycles

Trademark (if any)
Marque de fabrique (si elle existe)

ATM series

Model / Type Ref.
Ref. De type

Additional information (if necessary may also be reported
on page 2)
Les informations complémentaires (si nécessaire, peuvent être
indiqués sur la 2^{ème} page)

PUBLICATION EDITION

A sample of the product was tested and found
to be in conformity with
Un échantillon de ce produit a été essayé et a été
considéré conforme à la

IEC60730-2-9: 2008 (Third Edition) and Am.1:2011 in
conjunction with IEC 60730-1:2010 (Fourth Edition)

As shown in the Test Report Ref. No. which forms part
of this Certificate
Comme indiqué dans le Rapport d'essais numéro de
référence qui constitue partie de ce Certificat

CVC2014-0593-M1

This CB Test Certificate is issued by the National Certification Body
Ce Certificat d'essai OC est établi par l'Organisme National de Certification



CHINA QUALITY CERTIFICATION CENTRE

Date: 2017-05-18

Signature:

Wang Kejiao

Issued 2003-05
China Quality Certification Centre
Section 9, No. 188, Nansihuan Xilu, Beijing 100070 P.R. China

Tel: +86-10-83886666
Fax: +86-10-83886282

website
www.cqc.com.cn

CB 0039108